


Central Statistical Office: Annual Abstract of Statistics, 1952; No. 89, London: Her Majesty's Stationery Office, 1952, p. 30.

CENTRAL STATISTICAL OFFICE

# ANNUAL ABSTRACT OF STATISTICS

No. 89

1952



LONDON: HER MAJESTY'S STATIONERY OFFICE

1952

S 1 G-

# VITAL STATISTICS

## Mortality tables<sup>(1)</sup> (continued)

### (ii) England and Wales

TABLE 29 (continued)

Age x	English Life Table No. 10, 1930-32						Life Table, 1948-1950			
	Males			Females			Males		Females	
	$l_x$	$q_x$	$^o e_x$	$l_x$	$q_x$	$^o e_x$	$l_x$	$^o e_x$	$l_x$	$^o e_x$
0	100,000	0.07186	58.7	100,000	0.05455	62.9	10,000	66.27	10,000	70.98
5	90,069	0.00343	60.1	92,024	0.00298	63.2	9,575	64.18	9,667	68.40
10	89,023	0.00146	55.8	91,082	0.00134	58.9	9,536	59.44	9,639	63.59
15	88,360	0.00197	51.2	90,420	0.00191	54.3	9,508	54.60	9,615	58.74
20	87,245	0.00316	46.8	89,383	0.00268	49.9	9,454	49.90	9,570	54.01
25	85,824	0.00330	42.5	88,133	0.00298	45.6	9,382	45.26	9,505	49.36
30	84,416	0.00340	38.2	86,792	0.00319	41.2	9,302	40.63	9,432	44.72
35	82,885	0.00421	33.9	85,353	0.00364	36.9	9,214	36.00	9,352	40.09
40	80,935	0.00562	29.6	83,690	0.00440	32.6	9,102	31.41	9,256	35.48
45	78,357	0.00799	25.5	81,660	0.00584	28.3	8,935	26.95	9,128	30.94
50	74,794	0.01128	21.6	78,958	0.00816	24.2	8,649	22.76	8,933	26.56
55	70,041	0.01614	17.9	75,290	0.01174	20.2	8,209	18.84	8,648	22.35
60	63,620	0.02415	14.4	70,204	0.01770	16.5	7,530	15.32	8,237	18.34
65	54,899	0.03791	11.3	63,046	0.02755	13.1	6,545	12.25	7,616	14.63
70	43,361	0.06035	8.6	53,144	0.04451	10.0	5,299	9.54	6,695	11.30
75	29,665	0.09519	6.4	40,040	0.07414	7.5	3,823	7.25	5,347	8.52
80	16,199	0.14500	4.7	24,869	0.11858	5.5	2,287	5.45	3,634	6.36
85	6,377	0.21048	3.5	11,594	0.17942	4.0	1,010	4.18	1,923	4.80
90	1,609	0.28614	2.6	3,611	0.25061	3.0				
95	232	0.37619	2.0	681	0.33612	2.2				
100	15	0.48350	1.5	64	0.44107	1.7				

Source: Registrar General

### (iii) Scotland

TABLE 29 (continued)

Age x	Scottish Life Table, 1930-32						Life Table, 1948-1950			
	Males			Females			Males		Females	
	$l_x$	$q_x$	$x$	$l_x$	$q_x$	$^o e_x$	$l_x$	$^o e_x$	$l_x$	$^o e_x$
0	100,000	0.09346	56.0	100,000	0.07304	59.5	10,000	64.1	10,000	67.8
5	87,038	0.00336	59.2	89,249	0.00316	61.5	9,454	62.7	9,579	65.8
10	85,885	0.00180	54.9	88,217	0.00153	57.2	9,408	58.0	9,545	61.0
15	85,162	0.00198	50.4	87,500	0.00218	52.7	9,372	53.2	9,515	56.2
20	84,069	0.00326	46.0	86,380	0.00293	48.3	9,305	48.6	9,437	51.6
25	82,641	0.00352	41.7	85,054	0.00333	44.0	9,212	44.1	9,325	47.2
30	81,165	0.00383	37.4	83,561	0.00392	39.8	9,117	39.5	9,195	42.8
35	79,468	0.00504	33.2	81,814	0.00464	35.6	9,010	35.0	9,065	38.4
40	77,216	0.00676	29.1	79,802	0.00551	31.4	8,868	30.5	8,934	33.9
45	74,339	0.00896	25.1	77,418	0.00706	27.3	8,652	26.2	8,776	29.5
50	70,698	0.01151	21.3	74,384	0.00945	23.3	8,315	22.1	8,557	25.2
55	66,165	0.01656	17.5	70,418	0.01358	19.4	7,795	18.4	8,228	21.1
60	59,877	0.02518	14.1	64,951	0.02021	15.9	7,052	15.1	7,762	17.2
65	51,322	0.03989	11.0	57,553	0.03015	12.6	6,077	12.1	7,057	13.7
70	40,035	0.06295	8.4	47,782	0.04866	9.6	4,902	9.5	6,003	10.7
75	26,966	0.09897	6.3	35,058	0.07971	7.1	3,463	7.3	4,591	8.2
80	14,343	0.15098	4.6	21,066	0.12582	5.2	2,090	5.5	2,997	6.2
85	5,467	0.21154	3.5	9,336	0.19063	3.8	952	4.1	1,586	4.5
90	1,366	0.29388	2.5	2,684	0.26500	2.8				
95	176	0.40248	1.8	453	0.35417	2.1				
100	9	0.53333	1.3	36	0.46251	1.6				

Source: Registrar General

<sup>(1)</sup> The Tables for 1930-32 are based on the population at the 1931 census and the average number of deaths registered in the three years 1930-32. The column headed  $q_x$  is the probability that a person aged  $x$  would die within one year. Column  $l_x$  shows the numbers who would survive to exact age  $x$  out of 100,000 or 10,000 born who were subject throughout their lives to the death probabilities of column  $q_x$ . Column  $^o e_x$  is "the expectation of life," that is, the average future lifetime which would be lived by a person aged exactly  $x$ , if likewise subject to the death probabilities of column  $q_x$ . The abridged life tables for 1948-50 are constructed from the estimated home population in 1948, 1949 and 1950 and the total deaths registered in those years.