

Department of Census & Statistics: Life Tables for Sri Lanka 2011–2013 by District and Sex.  
Downloaded from [www.statistics.gov.lk/](http://www.statistics.gov.lk/) (18.10.2019)

**Matale District - Male**

Age	$n m_x$	$n q_x$	$l_x$	$n d_x$	$n L_x$	$n S_x$	$T_x$	$e_x$
0	0.00944	0.00936	100,000	936	99,129	0.99017 (1)	7,183,330	71.8
1	0.00032	0.00128	99,064	127	395,956	0.99855 (2)	7,084,201	71.5
5	0.00026	0.00130	98,938	129	494,366	0.99858	6,688,245	67.6
10	0.00031	0.00155	98,809	153	493,662	0.99762	6,193,878	62.7
15	0.00075	0.00374	98,656	369	492,485	0.99386	5,700,216	57.8
20	0.00167	0.00832	98,287	817	489,462	0.99277	5,207,731	53.0
25	0.00117	0.00583	97,469	569	485,924	0.99310	4,718,268	48.4
30	0.00168	0.00837	96,901	811	482,569	0.99074	4,232,345	43.7
35	0.00206	0.01025	96,090	985	478,100	0.98788	3,749,775	39.0
40	0.00297	0.01475	95,105	1,403	472,307	0.97910	3,271,675	34.4
45	0.00570	0.02813	93,702	2,636	462,437	0.96618	2,799,368	29.9
50	0.00804	0.03945	91,066	3,592	446,796	0.95384	2,336,931	25.7
55	0.01119	0.05452	87,474	4,769	426,173	0.92967	1,890,135	21.6
60	0.01864	0.08930	82,705	7,385	396,201	0.89095	1,463,962	17.7
65	0.02824	0.13235	75,320	9,969	352,995	0.83320	1,067,761	14.2
70	0.04658	0.20963	65,352	13,700	294,115	0.73444	714,766	10.9
75	0.07902	0.33046	51,652	17,069	216,009	0.62033	420,651	8.1
80	0.11562	0.44799	34,583	15,493	133,997	0.34521 (3)	204,642	5.9
85	0.27022	...	19,090	19,090	70,645	...	70,645	3.7

(1) Value given is for survivorship of 5 cohorts of birth to age group 0-4 =  ${}_5L_0/500000$

(2) Value given is for  ${}_5S_0 = {}_5L_5/{}_5L_0$

(3) Value given is  ${}_5S_{80+} = T_{85}/T_{80}$

**Nuwara Eliya District - Male**

Age	$n m_x$	$n q_x$	$l_x$	$n d_x$	$n L_x$	$n S_x$	$T_x$	$e_x$
0	0.00915	0.00907	100,000	907	99,155	0.99002 (1)	7,022,194	70.2
1	0.00055	0.00220	99,093	218	395,854	0.99772 (2)	6,923,039	69.9
5	0.00040	0.00200	98,875	198	493,881	0.99800	6,527,185	66.0
10	0.00040	0.00200	98,677	197	492,894	0.99712	6,033,304	61.1
15	0.00084	0.00419	98,480	413	491,473	0.99451	5,540,410	56.3
20	0.00134	0.00668	98,067	655	488,774	0.99295	5,048,937	51.5
25	0.00147	0.00732	97,413	713	485,327	0.99177	4,560,163	46.8
30	0.00188	0.00936	96,699	905	481,335	0.98900	4,074,836	42.1
35	0.00257	0.01277	95,794	1,223	476,038	0.98607	3,593,501	37.5
40	0.00316	0.01568	94,571	1,483	469,408	0.97758	3,117,463	33.0
45	0.00620	0.03056	93,087	2,845	458,884	0.96370	2,648,055	28.4
50	0.00864	0.04234	90,242	3,821	442,228	0.94668	2,189,171	24.3
55	0.01381	0.06690	86,421	5,782	418,648	0.91442	1,746,943	20.2
60	0.02265	0.10753	80,640	8,671	382,820	0.86670	1,328,295	16.5
65	0.03552	0.16375	71,969	11,785	331,791	0.79647	945,475	13.1
70	0.05735	0.25182	60,184	15,155	264,260	0.69096	613,683	10.2
75	0.09303	0.37724	45,029	16,987	182,593	0.55779	349,423	7.8
80	0.14200	0.51574	28,042	14,462	101,847	0.38952 (3)	166,831	5.9
85	0.20897	...	13,580	13,580	64,983	...	64,983	4.8

(1) Value given is for survivorship of 5 cohorts of birth to age group 0-4 =  ${}_5L_0/500000$

(2) Value given is for  ${}_5S_0 = {}_5L_5/{}_5L_0$

(3) Value given is  ${}_5S_{80+} = T_{85}/T_{80}$

**Matale District - Female**

Age	$n m_x$	$n q_x$	$l_x$	$n d_x$	$n L_x$	$n S_x$	$T_x$	$e_x$
0	0.00834	0.00828	100,000	828	99,234	0.99118 (1)	7,845,901	78.5
1	0.00034	0.00136	99,172	135	396,354	0.99899 (2)	7,746,667	78.1
5	0.00008	0.00040	99,038	40	495,089	0.99913	7,350,313	74.2
10	0.00027	0.00135	98,998	134	494,656	0.99796	6,855,223	69.2
15	0.00058	0.00290	98,864	286	493,646	0.99712	6,360,567	64.3
20	0.00053	0.00265	98,578	261	492,226	0.99753	5,866,921	59.5
25	0.00046	0.00230	98,317	226	491,009	0.99791	5,374,695	54.7
30	0.00041	0.00205	98,091	201	489,981	0.99695	4,883,686	49.8
35	0.00087	0.00434	97,891	425	488,487	0.99479	4,393,704	44.9
40	0.00123	0.00613	97,466	598	485,939	0.99202	3,905,218	40.1
45	0.00206	0.01025	96,868	993	482,064	0.98649	3,419,279	35.3
50	0.00342	0.01696	95,875	1,626	475,553	0.98077	2,937,215	30.6
55	0.00440	0.02177	94,248	2,052	466,410	0.97245	2,461,662	26.1
60	0.00719	0.03537	92,196	3,261	453,561	0.95083	1,995,251	21.6
65	0.01391	0.06745	88,935	5,999	431,261	0.90057	1,541,690	17.3
70	0.02931	0.13725	82,936	11,383	388,378	0.83047	1,110,429	13.4
75	0.04628	0.20861	71,553	14,927	322,536	0.71945	722,051	10.1
80	0.09116	0.37357	56,626	21,154	232,050	0.41917 (3)	399,515	7.1
85	0.21182	...	35,472	35,472	167,465	...	167,465	4.7

(1) Value given is for survivorship of 5 cohorts of birth to age group 0-4 =  ${}_5L_0/500000$

(2) Value given is for  ${}_5S_0 = {}_5L_5/{}_5L_0$

(3) Value given is  ${}_5S_{80+} = T_{85}/T_{80}$

**Nuwara Eliya District - Female**

Age	$n m_x$	$n q_x$	$l_x$	$n d_x$	$n L_x$	$n S_x$	$T_x$	$e_x$
0	0.00819	0.00813	100,000	813	99,248	0.99097 (1)	7,591,181	75.9
1	0.00052	0.00208	99,187	206	396,236	0.99796 (2)	7,491,934	75.5
5	0.00035	0.00175	98,981	173	494,473	0.99823	7,095,698	71.7
10	0.00036	0.00180	98,808	178	493,596	0.99793	6,601,225	66.8
15	0.00050	0.00250	98,630	246	492,575	0.99681	6,107,629	61.9
20	0.00078	0.00389	98,384	383	491,004	0.99588	5,615,053	57.1
25	0.00084	0.00419	98,001	411	488,983	0.99589	5,124,050	52.3
30	0.00083	0.00414	97,590	404	486,973	0.99494	4,635,067	47.5
35	0.00124	0.00618	97,186	601	484,510	0.99295	4,148,093	42.7
40	0.00161	0.00802	96,585	775	481,094	0.99036	3,663,583	37.9
45	0.00239	0.01189	95,811	1,139	476,456	0.98288	3,182,489	33.2
50	0.00470	0.02325	94,672	2,201	468,297	0.97245	2,706,034	28.6
55	0.00653	0.03216	92,471	2,974	455,395	0.95912	2,237,737	24.2
60	0.01078	0.05261	89,497	4,708	436,778	0.92508	1,782,342	19.9
65	0.02149	0.10241	84,789	8,683	404,057	0.86726	1,345,563	15.9
70	0.03656	0.16834	76,106	12,811	350,421	0.78299	941,506	12.4
75	0.06362	0.27579	63,294	17,456	274,377	0.65962	591,085	9.3
80	0.10563	0.41706	45,838	19,117	180,985	0.42855 (3)	316,709	6.9
85	0.19688	...	26,721	26,721	135,724	...	135,724	5.1

(1) Value given is for survivorship of 5 cohorts of birth to age group 0-4 =  ${}_5L_0/500000$

(2) Value given is for  ${}_5S_0 = {}_5L_5/{}_5L_0$

(3) Value given is  ${}_5S_{80+} = T_{85}/T_{80}$