

U.S. Department of Health and Human Services; Centers for Disease Control and Prevention; National Center for Health Statistics (1997): U.S. Decennial Life Tables for 1989-1991, Vol. 1, No. 1, p. 8-11. Downloaded from [http://www.cdc.gov/nchs/data/lifetables/life89\\_1\\_1.pdf](http://www.cdc.gov/nchs/data/lifetables/life89_1_1.pdf) (06.03.2009).

Table 2. Life table for males: United States, 1989-91

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)
Period of life between two ages (1)	${}_tq_x$	$l_x$	${}_td_x$	${}_tL_x$	$T_x$	${}^o e_o$
<b>Days</b>						
0-1 . . . . .	.00381	100,000	381	273	7,182,868	71.83
1-7 . . . . .	.00153	99,619	153	1,636	7,182,595	72.10
7-28 . . . . .	.00116	99,466	115	5,720	7,180,959	72.20
28-365 . . . . .	.00393	99,351	390	91,549	7,175,239	72.22
<b>Years</b>						
0-1 . . . . .	.01039	100,000	1,039	99,178	7,182,868	71.83
1-2 . . . . .	.00078	98,961	77	98,923	7,083,690	71.58
2-3 . . . . .	.00054	98,884	54	98,857	6,984,767	70.64
3-4 . . . . .	.00042	98,830	41	98,809	6,885,910	69.67
4-5 . . . . .	.00035	98,789	35	98,772	6,787,101	68.70
5-6 . . . . .	.00031	98,754	30	98,739	6,688,329	67.73
6-7 . . . . .	.00028	98,724	28	98,710	6,589,590	66.75
7-8 . . . . .	.00026	98,696	26	98,683	6,490,880	65.77
8-9 . . . . .	.00023	98,670	23	98,658	6,392,197	64.78
9-10 . . . . .	.00020	98,647	20	98,638	6,293,539	63.80
10-11 . . . . .	.00017	98,627	16	98,619	6,194,901	62.81
11-12 . . . . .	.00017	98,611	17	98,602	6,096,282	61.82
12-13 . . . . .	.00025	98,594	25	98,581	5,997,680	60.83
13-14 . . . . .	.00042	98,569	41	98,549	5,899,099	59.85
14-15 . . . . .	.00064	98,528	64	98,495	5,800,550	58.87
15-16 . . . . .	.00089	98,464	88	98,420	5,702,055	57.91
16-17 . . . . .	.00112	98,376	110	98,321	5,603,635	56.96
17-18 . . . . .	.00130	98,266	128	98,202	5,505,314	56.02
18-19 . . . . .	.00142	98,138	139	98,069	5,407,112	55.10
19-20 . . . . .	.00148	97,999	145	97,927	5,309,043	54.17
20-21 . . . . .	.00155	97,854	151	97,778	5,211,116	53.25
21-22 . . . . .	.00161	97,703	158	97,624	5,113,338	52.34
22-23 . . . . .	.00167	97,545	162	97,464	5,015,714	51.42
23-24 . . . . .	.00170	97,383	166	97,300	4,918,250	50.50
24-25 . . . . .	.00173	97,217	168	97,133	4,820,950	49.59
25-26 . . . . .	.00174	97,049	169	96,964	4,723,817	48.67
26-27 . . . . .	.00176	96,880	171	96,795	4,626,853	47.76
27-28 . . . . .	.00180	96,709	174	96,622	4,530,058	46.84
28-29 . . . . .	.00187	96,535	180	96,445	4,433,436	45.93
29-30 . . . . .	.00196	96,355	189	96,261	4,336,991	45.01
30-31 . . . . .	.00205	96,166	197	96,067	4,240,730	44.10
31-32 . . . . .	.00215	95,969	206	95,866	4,144,663	43.19
32-33 . . . . .	.00224	95,763	215	95,655	4,048,797	42.28
33-34 . . . . .	.00234	95,548	224	95,436	3,953,142	41.37
34-35 . . . . .	.00245	95,324	233	95,207	3,857,706	40.47
35-36 . . . . .	.00257	95,091	245	94,968	3,762,499	39.57
36-37 . . . . .	.00270	94,846	255	94,719	3,667,531	38.67
37-38 . . . . .	.00282	94,591	267	94,457	3,572,812	37.77
38-39 . . . . .	.00293	94,324	277	94,186	3,478,355	36.88
39-40 . . . . .	.00304	94,047	286	93,904	3,384,169	35.98
40-41 . . . . .	.00315	93,761	295	93,613	3,290,265	35.09
41-42 . . . . .	.00328	93,466	307	93,312	3,196,652	34.20
42-43 . . . . .	.00344	93,159	321	92,998	3,103,340	33.31
43-44 . . . . .	.00365	92,838	339	92,669	3,010,342	32.43
44-45 . . . . .	.00390	92,499	360	92,319	2,917,673	31.54
45-46 . . . . .	.00421	92,139	389	91,945	2,825,354	30.66
46-47 . . . . .	.00457	91,750	419	91,540	2,733,409	29.79
47-48 . . . . .	.00496	91,331	454	91,104	2,641,869	28.93
48-49 . . . . .	.00537	90,877	488	90,634	2,550,765	28.07
49-50 . . . . .	.00580	90,389	524	90,127	2,460,131	27.22
50-51 . . . . .	.00630	89,865	567	89,581	2,370,004	26.37
51-52 . . . . .	.00689	89,298	614	88,991	2,280,423	25.54
52-53 . . . . .	.00755	88,684	670	88,349	2,191,432	24.71

Table 2. Life table for males: United States, 1989-91—Con.

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)
Period of life between two ages (1)						
$x$ to $x + t$	${}_tq_x$	$l_x$	${}_td_x$	${}_tL_x$	$T_x$	${}^o e_0$
Years—Continued						
53-54	.00828	88,014	729	87,650	2,103,083	23.89
54-55	.00909	87,285	793	86,889	2,015,433	23.09
55-56	.00995	86,492	861	86,061	1,928,544	22.30
56-57	.01089	85,631	933	85,165	1,842,483	21.52
57-58	.01197	84,698	1,014	84,191	1,757,318	20.75
58-59	.01320	83,684	1,105	83,131	1,673,127	19.99
59-60	.01455	82,579	1,201	81,979	1,589,996	19.25
60-61	.01591	81,378	1,295	80,730	1,508,017	18.53
61-62	.01730	80,083	1,385	79,390	1,427,287	17.82
62-63	.01877	78,698	1,478	77,959	1,347,897	17.13
63-64	.02039	77,220	1,574	76,432	1,269,938	16.45
64-65	.02214	75,646	1,675	74,809	1,193,506	15.78
65-66	.02397	73,971	1,773	73,084	1,118,697	15.12
66-67	.02586	72,198	1,867	71,264	1,045,613	14.48
67-68	.02793	70,331	1,965	69,348	974,349	13.85
68-69	.03030	68,366	2,071	67,331	905,001	13.24
69-70	.03301	66,295	2,188	65,201	837,670	12.64
70-71	.03607	64,107	2,313	62,951	772,469	12.05
71-72	.03945	61,794	2,437	60,576	709,518	11.48
72-73	.04310	59,357	2,558	58,077	648,942	10.93
73-74	.04690	56,799	2,664	55,467	590,865	10.40
74-75	.05079	54,135	2,750	52,761	535,398	9.89
75-76	.05492	51,385	2,822	49,974	482,637	9.39
76-77	.05943	48,563	2,886	47,120	432,663	8.91
77-78	.06430	45,677	2,937	44,208	385,543	8.44
78-79	.06969	42,740	2,979	41,251	341,335	7.99
79-80	.07576	39,761	3,012	38,255	300,084	7.55
80-81	.08283	36,749	3,044	35,227	261,829	7.12
81-82	.09078	33,705	3,060	32,175	226,602	6.72
82-83	.09911	30,645	3,037	29,127	194,427	6.34
83-84	.10718	27,608	2,959	26,129	165,300	5.99
84-85	.11497	24,649	2,834	23,232	139,171	5.65
85-86	.12378	21,815	2,700	20,465	115,939	5.31
86-87	.13424	19,115	2,566	17,832	95,474	4.99
87-88	.14560	16,549	2,410	15,345	77,642	4.69
88-89	.15770	14,139	2,229	13,024	62,297	4.41
89-90	.17058	11,910	2,032	10,894	49,273	4.14
90-91	.18460	9,878	1,823	8,966	38,379	3.89
91-92	.19998	8,055	1,611	7,250	29,413	3.65
92-93	.21596	6,444	1,392	5,748	22,163	3.44
93-94	.23158	5,052	1,170	4,467	16,415	3.25
94-95	.24618	3,882	955	3,404	11,948	3.08
95-96	.26004	2,927	761	2,546	8,544	2.92
96-97	.27536	2,166	597	1,868	5,998	2.77
97-98	.28943	1,569	454	1,342	4,130	2.63
98-99	.30390	1,115	339	945	2,788	2.50
99-100	.31910	776	247	653	1,843	2.37
100-101	.33505	529	178	440	1,190	2.25
101-102	.35181	351	123	289	750	2.13
102-103	.36940	228	84	186	461	2.02
103-104	.38787	144	56	116	275	1.91
104-105	.40726	88	36	70	159	1.81
105-106	.42762	52	22	41	89	1.71
106-107	.44900	30	14	23	48	1.61
107-108	.47145	16	7	13	25	1.52
108-109	.49503	9	5	6	12	1.43
109-110	.51978	4	2	3	6	1.35

**Table 3. Life table for females: United States, 1989-91**

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)
Period of life between two ages (1)	${}_t q_x$	$l_x$	${}_t d_x$	${}_t L_x$	$T_x$	${}^o e_0$
<b>Days</b>						
0-1 . . . . .	.00318	100,000	318	274	7,881,156	78.81
1-7 . . . . .	.00116	99,682	117	1,637	7,880,882	79.06
7-28 . . . . .	.00092	99,565	91	5,726	7,879,245	79.14
28-365 . . . . .	.00303	99,474	302	91,704	7,873,519	79.15
<b>Years</b>						
0-1 . . . . .	.00828	100,000	828	99,341	7,881,156	78.81
1-2 . . . . .	.00068	99,172	67	99,139	7,781,815	78.47
2-3 . . . . .	.00042	99,105	42	99,084	7,682,676	77.52
3-4 . . . . .	.00032	99,063	32	99,047	7,583,592	76.55
4-5 . . . . .	.00025	99,031	25	99,019	7,484,545	75.58
5-6 . . . . .	.00024	99,006	23	98,994	7,385,526	74.60
6-7 . . . . .	.00021	98,983	21	98,973	7,286,532	73.61
7-8 . . . . .	.00019	98,962	19	98,953	7,187,559	72.63
8-9 . . . . .	.00017	98,943	16	98,935	7,088,606	71.64
9-10 . . . . .	.00016	98,927	16	98,918	6,989,671	70.66
10-11 . . . . .	.00015	98,911	15	98,904	6,890,753	69.67
11-12 . . . . .	.00015	98,896	15	98,888	6,791,849	68.68
12-13 . . . . .	.00018	98,881	18	98,872	6,692,961	67.69
13-14 . . . . .	.00022	98,863	21	98,853	6,594,089	66.70
14-15 . . . . .	.00028	98,842	28	98,828	6,495,236	65.71
15-16 . . . . .	.00035	98,814	34	98,797	6,396,408	64.73
16-17 . . . . .	.00041	98,780	40	98,760	6,297,611	63.75
17-18 . . . . .	.00046	98,740	45	98,717	6,198,851	62.78
18-19 . . . . .	.00049	98,695	48	98,671	6,100,134	61.81
19-20 . . . . .	.00050	98,647	50	98,621	6,001,463	60.84
20-21 . . . . .	.00052	98,597	51	98,571	5,902,842	59.87
21-22 . . . . .	.00054	98,546	54	98,519	5,804,271	58.90
22-23 . . . . .	.00056	98,492	54	98,465	5,705,752	57.93
23-24 . . . . .	.00057	98,438	56	98,410	5,607,287	56.96
24-25 . . . . .	.00058	98,382	57	98,353	5,508,877	55.99
25-26 . . . . .	.00059	98,325	58	98,296	5,410,524	55.03
26-27 . . . . .	.00060	98,267	59	98,237	5,312,228	54.06
27-28 . . . . .	.00062	98,208	61	98,178	5,213,991	53.09
28-29 . . . . .	.00066	98,147	65	98,114	5,115,813	52.12
29-30 . . . . .	.00070	98,082	69	98,047	5,017,699	51.16
30-31 . . . . .	.00075	98,013	74	97,976	4,919,652	50.19
31-32 . . . . .	.00080	97,939	79	97,900	4,821,676	49.23
32-33 . . . . .	.00085	97,860	83	97,819	4,723,776	48.27
33-34 . . . . .	.00090	97,777	88	97,733	4,625,957	47.31
34-35 . . . . .	.00095	97,689	93	97,642	4,528,224	46.35
35-36 . . . . .	.00101	97,596	99	97,547	4,430,582	45.40
36-37 . . . . .	.00107	97,497	104	97,445	4,333,035	44.44
37-38 . . . . .	.00115	97,393	112	97,337	4,235,590	43.49
38-39 . . . . .	.00123	97,281	120	97,221	4,138,253	42.54
39-40 . . . . .	.00132	97,161	128	97,097	4,041,032	41.59
40-41 . . . . .	.00142	97,033	138	96,964	3,943,935	40.65
41-42 . . . . .	.00153	96,895	148	96,821	3,846,971	39.70
42-43 . . . . .	.00166	96,747	161	96,666	3,750,150	38.76
43-44 . . . . .	.00180	96,586	174	96,500	3,653,484	37.83
44-45 . . . . .	.00198	96,412	190	96,317	3,556,984	36.89
45-46 . . . . .	.00218	96,222	210	96,116	3,460,667	35.97
46-47 . . . . .	.00242	96,012	233	95,896	3,364,551	35.04
47-48 . . . . .	.00268	95,779	257	95,651	3,268,655	34.13
48-49 . . . . .	.00295	95,522	282	95,381	3,173,004	33.22
49-50 . . . . .	.00324	95,240	308	95,086	3,077,623	32.31
50-51 . . . . .	.00356	94,932	338	94,763	2,982,537	31.42
51-52 . . . . .	.00394	94,594	372	94,408	2,887,774	30.53

Table 3. Life table for females: United States, 1989-91—Con.

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)
Period of life between two ages (1)						
$x$ to $x + t$	${}_tq_x$	$l_x$	${}_td_x$	${}_tL_x$	$T_x$	${}^o e_0$
Years—Continued						
52-53	.00434	94,222	409	94,017	2,793,366	29.65
53-54	.00476	93,813	446	93,590	2,699,349	28.77
54-55	.00520	93,367	486	93,124	2,605,759	27.91
55-56	.00566	92,881	526	92,618	2,512,635	27.05
56-57	.00618	92,355	571	92,070	2,420,017	26.20
57-58	.00677	91,784	621	91,473	2,327,947	25.36
58-59	.00745	91,163	680	90,823	2,236,474	24.53
59-60	.00819	90,483	741	90,113	2,145,651	23.71
60-61	.00895	89,742	803	89,341	2,055,538	22.90
61-62	.00972	88,939	864	88,507	1,966,197	22.11
62-63	.01055	88,075	929	87,610	1,877,690	21.32
63-64	.01146	87,146	999	86,647	1,790,080	20.54
64-65	.01244	86,147	1,072	85,611	1,703,433	19.77
65-66	.01348	85,075	1,146	84,502	1,617,822	19.02
66-67	.01456	83,929	1,222	83,318	1,533,320	18.27
67-68	.01574	82,707	1,302	82,056	1,450,002	17.53
68-69	.01709	81,405	1,391	80,710	1,367,946	16.80
69-70	.01865	80,014	1,492	79,268	1,287,236	16.09
70-71	.02042	78,522	1,603	77,721	1,207,968	15.38
71-72	.02239	76,919	1,722	76,058	1,130,247	14.69
72-73	.02457	75,197	1,847	74,274	1,054,189	14.02
73-74	.02688	73,350	1,972	72,364	979,915	13.36
74-75	.02930	71,378	2,091	70,332	907,551	12.71
75-76	.03181	69,287	2,205	68,185	837,219	12.08
76-77	.03456	67,082	2,318	65,923	769,034	11.46
77-78	.03772	64,764	2,443	63,542	703,111	10.86
78-79	.04151	62,321	2,588	61,027	639,569	10.26
79-80	.04599	59,733	2,747	58,360	578,542	9.69
80-81	.05106	56,986	2,909	55,531	520,182	9.13
81-82	.05659	54,077	3,061	52,547	464,651	8.59
82-83	.06265	51,016	3,196	49,418	412,104	8.08
83-84	.06919	47,820	3,308	46,167	362,686	7.58
84-85	.07631	44,512	3,397	42,813	316,519	7.11
85-86	.08446	41,115	3,472	39,379	273,706	6.66
86-87	.09376	37,643	3,530	35,878	234,327	6.23
87-88	.10379	34,113	3,540	32,343	198,449	5.82
88-89	.11442	30,573	3,498	28,823	166,106	5.43
89-90	.12590	27,075	3,409	25,371	137,283	5.07
90-91	.13918	23,666	3,294	22,018	111,912	4.73
91-92	.15417	20,372	3,141	18,802	89,894	4.41
92-93	.16951	17,231	2,921	15,771	71,092	4.13
93-94	.18440	14,310	2,638	12,991	55,321	3.87
94-95	.19922	11,672	2,326	10,509	42,330	3.63
95-96	.21475	9,346	2,007	8,343	31,821	3.40
96-97	.23143	7,339	1,698	6,490	23,478	3.20
97-98	.24775	5,641	1,398	4,942	16,988	3.01
98-99	.26375	4,243	1,119	3,683	12,046	2.84
99-100	.27957	3,124	873	2,688	8,363	2.68
100-101	.29635	2,251	667	1,917	5,675	2.52
101-102	.31413	1,584	498	1,335	3,758	2.37
102-103	.33298	1,086	361	905	2,423	2.23
103-104	.35296	725	256	597	1,518	2.10
104-105	.37413	469	176	381	921	1.97
105-106	.39658	293	116	235	540	1.84
106-107	.42038	177	74	140	305	1.72
107-108	.44560	103	46	80	165	1.61
108-109	.47233	57	27	43	85	1.50
109-110	.50068	30	15	23	42	1.40