

U.S. Depart. of Health & Human Services. Centers for CDC. Nat. Center for Health Statistics (2022):
U.S. State Life Tables, 2019. National Vital Statistics Report Volume 70, Number 18. 18pp.
Downloaded from: www.cdc.gov (11.05.2022).

Table NM-2. Life table for males: New Mexico, 2019

Age (years)	Probability of dying between ages x and $x + 1$	Number surviving to age x	Number dying between ages x and $x + 1$	Person-years lived between ages x and $x + 1$	Total number of person-years lived over age x	Expectation of life at age x
	q_x	l_x	d_x	L_x	T_x	e_x
0-1	0.006045	100,000	605	99,472	7,388,952	73.9
1-2	0.000333	99,395	33	99,379	7,289,479	73.3
2-3	0.000161	99,362	16	99,354	7,190,101	72.4
3-4	0.000314	99,346	31	99,331	7,090,746	71.4
4-5	0.000231	99,315	23	99,304	6,991,415	70.4
5-6	0.000180	99,292	18	99,283	6,892,112	69.4
6-7	0.000169	99,274	17	99,266	6,792,828	68.4
7-8	0.000154	99,258	15	99,250	6,693,562	67.4
8-9	0.000132	99,242	13	99,236	6,594,312	66.4
9-10	0.000105	99,229	10	99,224	6,495,076	65.5
10-11	0.000086	99,219	9	99,215	6,395,852	64.5
11-12	0.000095	99,210	9	99,206	6,296,638	63.5
12-13	0.000153	99,201	15	99,193	6,197,432	62.5
13-14	0.000275	99,186	27	99,172	6,098,239	61.5
14-15	0.000449	99,158	45	99,136	5,999,067	60.5
15-16	0.000643	99,114	64	99,082	5,899,931	59.5
16-17	0.000843	99,050	83	99,008	5,800,848	58.6
17-18	0.001056	98,967	104	98,914	5,701,840	57.6
18-19	0.001274	98,862	126	98,799	5,602,926	56.7
19-20	0.001492	98,736	147	98,663	5,504,126	55.7
20-21	0.001718	98,589	169	98,504	5,405,464	54.8
21-22	0.001942	98,420	191	98,324	5,306,959	53.9
22-23	0.002133	98,229	210	98,124	5,208,635	53.0
23-24	0.002281	98,019	224	97,907	5,110,512	52.1
24-25	0.002397	97,795	234	97,678	5,012,604	51.3
25-26	0.002495	97,561	243	97,439	4,914,926	50.4
26-27	0.002600	97,318	253	97,191	4,817,487	49.5
27-28	0.002725	97,064	265	96,932	4,720,296	48.6
28-29	0.002886	96,800	279	96,660	4,623,364	47.8
29-30	0.003076	96,521	297	96,372	4,526,704	46.9
30-31	0.003278	96,224	315	96,066	4,430,331	46.0
31-32	0.003471	95,908	333	95,742	4,334,265	45.2
32-33	0.003626	95,575	347	95,402	4,238,524	44.3
33-34	0.003787	95,229	361	95,048	4,143,122	43.5
34-35	0.003899	94,868	370	94,683	4,048,073	42.7
35-36	0.004011	94,498	379	94,309	3,953,390	41.8
36-37	0.004127	94,119	388	93,925	3,859,081	41.0
37-38	0.004225	93,731	396	93,533	3,765,156	40.2
38-39	0.004304	93,335	402	93,134	3,671,623	39.3
39-40	0.004378	92,933	407	92,730	3,578,489	38.5
40-41	0.004455	92,526	412	92,320	3,485,759	37.7
41-42	0.004559	92,114	420	91,904	3,393,439	36.8
42-43	0.004713	91,694	432	91,478	3,301,535	36.0
43-44	0.004932	91,262	450	91,037	3,210,057	35.2
44-45	0.005200	90,812	472	90,576	3,119,020	34.3
45-46	0.005501	90,339	497	90,091	3,028,445	33.5
46-47	0.005816	89,843	523	89,581	2,938,354	32.7
47-48	0.006145	89,320	549	89,046	2,848,773	31.9
48-49	0.006486	88,771	576	88,483	2,759,727	31.1
49-50	0.006853	88,195	604	87,893	2,671,244	30.3
50-51	0.007249	87,591	635	87,274	2,583,351	29.5
51-52	0.007685	86,956	668	86,622	2,496,077	28.7
52-53	0.008155	86,288	704	85,936	2,409,455	27.9

Table NM-2. Life table for males: New Mexico, 2019

Age (years)	Probability of dying between ages x and $x + 1$	Number surviving to age x	Number dying between ages x and $x + 1$	Person-years lived between ages x and $x + 1$	Total number of person-years lived over age x	Expectation of life at age x
	q_x	l_x	d_x	L_x	T_x	e_x
53-54	0.008638	85,584	739	85,214	2,323,519	27.1
54-55	0.009112	84,845	773	84,458	2,238,305	26.4
55-56	0.009556	84,072	803	83,670	2,153,846	25.6
56-57	0.010003	83,268	833	82,852	2,070,176	24.9
57-58	0.010505	82,435	866	82,002	1,987,324	24.1
58-59	0.011107	81,569	906	81,116	1,905,322	23.4
59-60	0.011805	80,663	952	80,187	1,824,205	22.6
60-61	0.012569	79,711	1,002	79,210	1,744,018	21.9
61-62	0.013346	78,709	1,050	78,184	1,664,808	21.2
62-63	0.014130	77,659	1,097	77,110	1,586,624	20.4
63-64	0.014893	76,562	1,140	75,991	1,509,513	19.7
64-65	0.015649	75,421	1,180	74,831	1,433,522	19.0
65-66	0.016449	74,241	1,221	73,630	1,358,691	18.3
66-67	0.017458	73,020	1,275	72,382	1,285,060	17.6
67-68	0.018462	71,745	1,325	71,083	1,212,678	16.9
68-69	0.019487	70,421	1,372	69,734	1,141,595	16.2
69-70	0.020599	69,048	1,422	68,337	1,071,861	15.5
70-71	0.021839	67,626	1,477	66,887	1,003,524	14.8
71-72	0.023308	66,149	1,542	65,378	936,636	14.2
72-73	0.025135	64,607	1,624	63,795	871,258	13.5
73-74	0.027422	62,983	1,727	62,120	807,463	12.8
74-75	0.030181	61,256	1,849	60,332	745,343	12.2
75-76	0.033344	59,407	1,981	58,417	685,011	11.5
76-77	0.036762	57,427	2,111	56,371	626,594	10.9
77-78	0.040405	55,315	2,235	54,198	570,223	10.3
78-79	0.044409	53,080	2,357	51,902	516,025	9.7
79-80	0.049054	50,723	2,488	49,479	464,124	9.2
80-81	0.054579	48,235	2,633	46,919	414,645	8.6
81-82	0.060848	45,602	2,775	44,215	367,726	8.1
82-83	0.063990	42,827	2,741	41,457	323,511	7.6
83-84	0.072257	40,087	2,897	38,639	282,054	7.0
84-85	0.081447	37,190	3,029	35,676	243,415	6.5
85-86	0.091626	34,161	3,130	32,596	207,739	6.1
86-87	0.102853	31,031	3,192	29,435	175,143	5.6
87-88	0.115181	27,840	3,207	26,236	145,708	5.2
88-89	0.128649	24,633	3,169	23,049	119,471	4.9
89-90	0.143283	21,464	3,075	19,926	96,423	4.5
90-91	0.159088	18,389	2,925	16,926	76,497	4.2
91-92	0.176052	15,463	2,722	14,102	59,571	3.9
92-93	0.194132	12,741	2,473	11,504	45,469	3.6
93-94	0.213261	10,267	2,190	9,173	33,965	3.3
94-95	0.233345	8,078	1,885	7,135	24,792	3.1
95-96	0.254260	6,193	1,575	5,406	17,657	2.9
96-97	0.275855	4,618	1,274	3,981	12,251	2.7
97-98	0.297960	3,344	996	2,846	8,270	2.5
98-99	0.320384	2,348	752	1,972	5,424	2.3
99-100	0.342926	1,596	547	1,322	3,452	2.2
100 and over	1.000000	1,048	1,048	2,130	2,130	2.0

SOURCE: National Center for Health Statistics, National Vital Statistics System, Mortality.

Table NM-3. Life table for females: New Mexico, 2019

Age (years)	Probability of dying between ages x and $x + 1$	Number surviving to age x	Number dying between ages x and $x + 1$	Person-years lived between ages x and $x + 1$	Total number of person-years lived over age x	Expectation of life at age x
	q_x	l_x	d_x	L_x	T_x	e_x
0-1	0.005172	100,000	517	99,518	8,007,545	80.1
1-2	0.000259	99,483	26	99,470	7,908,027	79.5
2-3	0.000671	99,457	67	99,424	7,808,557	78.5
3-4	0.000328	99,390	33	99,374	7,709,133	77.6
4-5	0.000276	99,358	27	99,344	7,609,759	76.6
5-6	0.000227	99,330	23	99,319	7,510,415	75.6
6-7	0.000201	99,308	20	99,298	7,411,096	74.6
7-8	0.000175	99,288	17	99,279	7,311,798	73.6
8-9	0.000143	99,270	14	99,263	7,212,519	72.7
9-10	0.000105	99,256	10	99,251	7,113,256	71.7
10-11	0.000072	99,246	7	99,242	7,014,005	70.7
11-12	0.000057	99,239	6	99,236	6,914,763	69.7
12-13	0.000077	99,233	8	99,229	6,815,527	68.7
13-14	0.000140	99,225	14	99,218	6,716,298	67.7
14-15	0.000236	99,211	23	99,200	6,617,080	66.7
15-16	0.000356	99,188	35	99,170	6,517,880	65.7
16-17	0.000471	99,153	47	99,129	6,418,710	64.7
17-18	0.000549	99,106	54	99,079	6,319,580	63.8
18-19	0.000572	99,052	57	99,023	6,220,502	62.8
19-20	0.000558	98,995	55	98,967	6,121,478	61.8
20-21	0.000524	98,940	52	98,914	6,022,511	60.9
21-22	0.000515	98,888	51	98,862	5,923,597	59.9
22-23	0.000567	98,837	56	98,809	5,824,735	58.9
23-24	0.000701	98,781	69	98,746	5,725,926	58.0
24-25	0.000888	98,712	88	98,668	5,627,179	57.0
25-26	0.001096	98,624	108	98,570	5,528,512	56.1
26-27	0.001276	98,516	126	98,453	5,429,942	55.1
27-28	0.001398	98,390	138	98,321	5,331,489	54.2
28-29	0.001442	98,253	142	98,182	5,233,167	53.3
29-30	0.001433	98,111	141	98,041	5,134,986	52.3
30-31	0.001404	97,970	138	97,901	5,036,945	51.4
31-32	0.001398	97,833	137	97,764	4,939,043	50.5
32-33	0.001426	97,696	139	97,626	4,841,279	49.6
33-34	0.001531	97,557	149	97,482	4,743,653	48.6
34-35	0.001671	97,407	163	97,326	4,646,171	47.7
35-36	0.001827	97,244	178	97,156	4,548,845	46.8
36-37	0.001969	97,067	191	96,971	4,451,690	45.9
37-38	0.002091	96,876	203	96,774	4,354,719	45.0
38-39	0.002187	96,673	211	96,567	4,257,944	44.0
39-40	0.002268	96,462	219	96,352	4,161,377	43.1
40-41	0.002352	96,243	226	96,130	4,065,025	42.2
41-42	0.002459	96,017	236	95,898	3,968,895	41.3
42-43	0.002599	95,780	249	95,656	3,872,996	40.4
43-44	0.002778	95,532	265	95,399	3,777,340	39.5
44-45	0.002981	95,266	284	95,124	3,681,942	38.6
45-46	0.003201	94,982	304	94,830	3,586,817	37.8
46-47	0.003417	94,678	324	94,516	3,491,987	36.9
47-48	0.003615	94,355	341	94,184	3,397,471	36.0
48-49	0.003789	94,014	356	93,835	3,303,287	35.1
49-50	0.003951	93,657	370	93,472	3,209,451	34.3
50-51	0.004137	93,287	386	93,094	3,115,979	33.4
51-52	0.004348	92,901	404	92,699	3,022,885	32.5
52-53	0.004549	92,497	421	92,287	2,930,185	31.7

Table NM-3. Life table for females: New Mexico, 2019

Age (years)	Probability of dying between ages x and $x + 1$	Number surviving to age x	Number dying between ages x and $x + 1$	Person-years lived between ages x and $x + 1$	Total number of person-years lived over age x	Expectation of life at age x
	q_x	l_x	d_x	L_x	T_x	e_x
53-54	0.004722	92,077	435	91,859	2,837,898	30.8
54-55	0.004884	91,642	448	91,418	2,746,039	30.0
55-56	0.005008	91,194	457	90,966	2,654,621	29.1
56-57	0.005169	90,737	469	90,503	2,563,655	28.3
57-58	0.005470	90,268	494	90,022	2,473,152	27.4
58-59	0.005962	89,775	535	89,507	2,383,131	26.5
59-60	0.006595	89,240	589	88,945	2,293,624	25.7
60-61	0.007333	88,651	650	88,326	2,204,678	24.9
61-62	0.008036	88,001	707	87,647	2,116,352	24.0
62-63	0.008588	87,294	750	86,919	2,028,705	23.2
63-64	0.008906	86,544	771	86,159	1,941,786	22.4
64-65	0.009073	85,773	778	85,384	1,855,627	21.6
65-66	0.009188	84,995	781	84,605	1,770,243	20.8
66-67	0.009502	84,214	800	83,814	1,685,639	20.0
67-68	0.010046	83,414	838	82,995	1,601,825	19.2
68-69	0.010954	82,576	905	82,124	1,518,830	18.4
69-70	0.012174	81,671	994	81,174	1,436,706	17.6
70-71	0.013584	80,677	1,096	80,129	1,355,532	16.8
71-72	0.015095	79,581	1,201	78,981	1,275,402	16.0
72-73	0.016697	78,380	1,309	77,726	1,196,422	15.3
73-74	0.018398	77,071	1,418	76,362	1,118,696	14.5
74-75	0.020340	75,653	1,539	74,884	1,042,334	13.8
75-76	0.022543	74,115	1,671	73,279	967,450	13.1
76-77	0.025002	72,444	1,811	71,538	894,171	12.3
77-78	0.027829	70,633	1,966	69,650	822,632	11.6
78-79	0.031180	68,667	2,141	67,596	752,983	11.0
79-80	0.035215	66,526	2,343	65,355	685,386	10.3
80-81	0.039785	64,183	2,554	62,906	620,032	9.7
81-82	0.044819	61,630	2,762	60,249	557,125	9.0
82-83	0.050480	58,868	2,972	57,382	496,877	8.4
83-84	0.057017	55,896	3,187	54,302	439,495	7.9
84-85	0.065214	52,709	3,437	50,990	385,193	7.3
85-86	0.074186	49,272	3,655	47,444	334,202	6.8
86-87	0.084221	45,616	3,842	43,695	286,758	6.3
87-88	0.095394	41,774	3,985	39,782	243,063	5.8
88-89	0.107775	37,789	4,073	35,753	203,281	5.4
89-90	0.121421	33,717	4,094	31,670	167,528	5.0
90-91	0.136374	29,623	4,040	27,603	135,858	4.6
91-92	0.152653	25,583	3,905	23,630	108,256	4.2
92-93	0.170251	21,678	3,691	19,832	84,625	3.9
93-94	0.189131	17,987	3,402	16,286	64,793	3.6
94-95	0.209222	14,585	3,052	13,059	48,507	3.3
95-96	0.230418	11,534	2,658	10,205	35,447	3.1
96-97	0.252576	8,876	2,242	7,755	25,243	2.8
97-98	0.275518	6,634	1,828	5,720	17,487	2.6
98-99	0.299040	4,806	1,437	4,088	11,767	2.4
99-100	0.322912	3,369	1,088	2,825	7,680	2.3
100 and over	1.000000	2,281	2,281	4,854	4,854	2.1

SOURCE: National Center for Health Statistics, National Vital Statistics System, Mortality.