

U.S. Department of Health and Human Services; Centers for Disease Control and Prevention; National Center for Health Statistics (1997): U.S. Decennial Life Tables for 1989-1991, Vol. 1, No. 1, p. 14-17. Downloaded from http://www.cdc.gov/nchs/data/lifetables/life89_1_1.pdf (06.03.2009).

Table 5. Life table for white males: United States, 1989–91

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two ages (1)	Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)	Average number of years of life remaining at beginning of age interval (7)
x to $x + t$	${}_t q_x$	l_x	${}_t d_x$	${}_t L_x$	T_x	${}^o e_0$
Days						
0–1	.00302	100,000	302	273	7,271,574	72.72
1–7	.00134	99,698	134	1,638	7,271,301	72.93
7–28	.00100	99,564	99	5,725	7,269,663	73.01
28–365	.00329	99,465	327	91,684	7,263,938	73.03
Years						
0–1	.00862	100,000	862	99,320	7,271,574	72.72
1–2	.00066	99,138	66	99,105	7,172,254	72.35
2–3	.00049	99,072	48	99,049	7,073,149	71.39
3–4	.00037	99,024	37	99,005	6,974,100	70.43
4–5	.00032	98,987	31	98,972	6,875,095	69.45
5–6	.00028	98,956	27	98,943	6,776,123	68.48
6–7	.00026	98,929	26	98,915	6,677,180	67.49
7–8	.00024	98,903	24	98,891	6,578,265	66.51
8–9	.00022	98,879	22	98,868	6,479,374	65.53
9–10	.00019	98,857	18	98,848	6,380,506	64.54
10–11	.00016	98,839	16	98,831	6,281,658	63.55
11–12	.00017	98,823	17	98,815	6,182,827	62.56
12–13	.00024	98,806	23	98,794	6,084,012	61.58
13–14	.00039	98,783	38	98,764	5,985,218	60.59
14–15	.00059	98,745	59	98,716	5,886,454	59.61
15–16	.00081	98,686	80	98,646	5,787,738	58.65
16–17	.00102	98,606	100	98,555	5,689,092	57.70
17–18	.00118	98,506	116	98,448	5,590,537	56.75
18–19	.00127	98,390	126	98,327	5,492,089	55.82
19–20	.00132	98,264	130	98,199	5,393,762	54.89
20–21	.00136	98,134	133	98,068	5,295,563	53.96
21–22	.00141	98,001	139	97,931	5,197,495	53.04
22–23	.00145	97,862	142	97,791	5,099,564	52.11
23–24	.00148	97,720	144	97,648	5,001,773	51.18
24–25	.00150	97,576	146	97,503	4,904,125	50.26
25–26	.00151	97,430	147	97,357	4,806,622	49.33
26–27	.00153	97,283	149	97,208	4,709,265	48.41
27–28	.00156	97,134	151	97,058	4,612,057	47.48
28–29	.00162	96,983	157	96,904	4,514,999	46.55
29–30	.00169	96,826	164	96,744	4,418,095	45.63
30–31	.00177	96,662	172	96,576	4,321,351	44.71
31–32	.00185	96,490	179	96,401	4,224,775	43.78
32–33	.00193	96,311	186	96,219	4,128,374	42.86
33–34	.00201	96,125	193	96,028	4,032,155	41.95
34–35	.00210	95,932	201	95,831	3,936,127	41.03
35–36	.00219	95,731	210	95,626	3,840,296	40.12
36–37	.00230	95,521	220	95,411	3,744,670	39.20
37–38	.00240	95,301	228	95,187	3,649,259	38.29
38–39	.00250	95,073	238	94,954	3,554,072	37.38
39–40	.00260	94,835	247	94,711	3,459,118	36.48
40–41	.00271	94,588	257	94,459	3,364,407	35.57
41–42	.00283	94,331	267	94,198	3,269,948	34.66
42–43	.00298	94,064	281	93,924	3,175,750	33.76
43–44	.00317	93,783	297	93,634	3,081,826	32.86
44–45	.00341	93,486	319	93,327	2,988,192	31.96
45–46	.00370	93,167	345	92,994	2,894,865	31.07
46–47	.00404	92,822	376	92,634	2,801,871	30.19
47–48	.00441	92,446	407	92,243	2,709,237	29.31
48–49	.00479	92,039	441	91,818	2,616,994	28.43
49–50	.00518	91,598	474	91,361	2,525,176	27.57
50–51	.00564	91,124	515	90,867	2,433,815	26.71
51–52	.00620	90,609	561	90,328	2,342,948	25.86
52–53	.00683	90,048	615	89,741	2,252,620	25.02

Table 5. Life table for white males: United States, 1989-91—Con.

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two ages (1)	Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)	Average number of years of life remaining at beginning of age interval (7)
x to $x + t$	${}_t q_x$	l_x	${}_t d_x$	${}_t L_x$	T_x	${}^o e_0$
Years—Continued						
53-54	.00753	89,433	674	89,096	2,162,879	24.18
54-55	.00831	88,759	737	88,390	2,073,783	23.36
55-56	.00913	88,022	804	87,620	1,985,393	22.56
56-57	.01004	87,218	875	86,781	1,897,773	21.76
57-58	.01109	86,343	957	85,865	1,810,992	20.97
58-59	.01231	85,386	1,052	84,859	1,725,127	20.20
59-60	.01366	84,334	1,152	83,759	1,640,268	19.45
60-61	.01503	83,182	1,250	82,557	1,556,509	18.71
61-62	.01641	81,932	1,345	81,259	1,473,952	17.99
62-63	.01788	80,587	1,440	79,867	1,392,693	17.28
63-64	.01947	79,147	1,541	78,377	1,312,826	16.59
64-65	.02118	77,606	1,644	76,784	1,234,449	15.91
65-66	.02297	75,962	1,745	75,089	1,157,665	15.24
66-67	.02483	74,217	1,842	73,297	1,082,576	14.59
67-68	.02689	72,375	1,946	71,402	1,009,279	13.95
68-69	.02926	70,429	2,061	69,398	937,877	13.32
69-70	.03200	68,368	2,187	67,275	868,479	12.70
70-71	.03509	66,181	2,322	65,019	801,204	12.11
71-72	.03848	63,859	2,457	62,631	736,185	11.53
72-73	.04215	61,402	2,588	60,107	673,554	10.97
73-74	.04598	58,814	2,705	57,462	613,447	10.43
74-75	.04993	56,109	2,801	54,708	555,985	9.91
75-76	.05414	53,308	2,886	51,865	501,277	9.40
76-77	.05875	50,422	2,962	48,941	449,412	8.91
77-78	.06372	47,460	3,024	45,948	400,471	8.44
78-79	.06920	44,436	3,075	42,898	354,523	7.98
79-80	.07533	41,361	3,116	39,802	311,625	7.53
80-81	.08246	38,245	3,154	36,669	271,823	7.11
81-82	.09049	35,091	3,175	33,503	235,154	6.70
82-83	.09891	31,916	3,157	30,338	201,651	6.32
83-84	.10715	28,759	3,081	27,218	171,313	5.96
84-85	.11519	25,678	2,958	24,198	144,095	5.61
85-86	.12436	22,720	2,826	21,307	119,897	5.28
86-87	.13522	19,894	2,690	18,550	98,590	4.96
87-88	.14695	17,204	2,528	15,940	80,040	4.65
88-89	.15927	14,676	2,338	13,507	64,100	4.37
89-90	.17219	12,338	2,124	11,276	50,593	4.10
90-91	.18617	10,214	1,902	9,263	39,317	3.85
91-92	.20159	8,312	1,675	7,475	30,054	3.62
92-93	.21773	6,637	1,445	5,914	22,579	3.40
93-94	.23376	5,192	1,214	4,585	16,665	3.21
94-95	.24893	3,978	990	3,483	12,080	3.04
95-96	.26329	2,988	787	2,594	8,597	2.88
96-97	.27914	2,201	614	1,894	6,003	2.73
97-98	.29399	1,587	467	1,354	4,109	2.59
98-99	.30869	1,120	346	947	2,755	2.46
99-100	.32413	774	251	649	1,808	2.33
100-101	.34033	523	178	434	1,159	2.21
101-102	.35735	345	123	284	725	2.10
102-103	.37522	222	83	180	441	1.99
103-104	.39398	139	55	112	261	1.88
104-105	.41368	84	35	66	149	1.78
105-106	.43436	49	21	39	83	1.68
106-107	.45608	28	13	21	44	1.58
107-108	.47888	15	7	12	23	1.49
108-109	.50282	8	4	6	11	1.41
109-110	.52797	4	2	3	5	1.32

Table 6. Life table for white females: United States, 1989–91

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two ages (1)	Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)	Average number of years of life remaining at beginning of age interval (7)
x to $x + t$	${}_t q_x$	l_x	${}_t d_x$	${}_t L_x$	T_x	${}^o e_0$
Days						
0–1	.00249	100,000	249	273	7,945,429	79.45
1–7	.00101	99,751	101	1,639	7,945,156	79.65
7–28	.00077	99,650	77	5,731	7,943,517	79.71
28–365	.00241	99,573	240	91,824	7,937,786	79.72
Years						
0–1	.00667	100,000	667	99,467	7,945,429	79.45
1–2	.00059	99,333	59	99,304	7,845,962	78.99
2–3	.00037	99,274	36	99,256	7,746,658	78.03
3–4	.00029	99,238	29	99,223	7,647,402	77.06
4–5	.00023	99,209	22	99,198	7,548,179	76.08
5–6	.00021	99,187	21	99,176	7,448,981	75.10
6–7	.00019	99,166	19	99,156	7,349,805	74.12
7–8	.00017	99,147	17	99,139	7,250,649	73.13
8–9	.00016	99,130	16	99,122	7,151,510	72.14
9–10	.00015	99,114	15	99,106	7,052,388	71.15
10–11	.00014	99,099	13	99,093	6,953,282	70.16
11–12	.00014	99,086	15	99,078	6,854,189	69.17
12–13	.00017	99,071	16	99,064	6,755,111	68.18
13–14	.00021	99,055	21	99,044	6,656,047	67.20
14–15	.00027	99,034	27	99,021	6,557,003	66.21
15–16	.00034	99,007	33	98,990	6,457,982	65.23
16–17	.00040	98,974	40	98,954	6,358,992	64.25
17–18	.00045	98,934	44	98,912	6,260,038	63.27
18–19	.00047	98,890	47	98,867	6,161,126	62.30
19–20	.00048	98,843	48	98,819	6,062,259	61.33
20–21	.00049	98,795	48	98,771	5,963,440	60.36
21–22	.00050	98,747	50	98,722	5,864,669	59.39
22–23	.00051	98,697	50	98,673	5,765,947	58.42
23–24	.00051	98,647	50	98,622	5,667,274	57.45
24–25	.00051	98,597	50	98,572	5,568,652	56.48
25–26	.00051	98,547	51	98,521	5,470,080	55.51
26–27	.00051	98,496	50	98,471	5,371,559	54.54
27–28	.00053	98,446	52	98,420	5,273,088	53.56
28–29	.00055	98,394	54	98,367	5,174,668	52.59
29–30	.00058	98,340	57	98,312	5,076,301	51.62
30–31	.00062	98,283	61	98,252	4,977,989	50.65
31–32	.00066	98,222	65	98,189	4,879,737	49.68
32–33	.00070	98,157	69	98,123	4,781,548	48.71
33–34	.00074	98,088	72	98,052	4,683,425	47.75
34–35	.00078	98,016	77	97,977	4,585,373	46.78
35–36	.00082	97,939	80	97,899	4,487,396	45.82
36–37	.00088	97,859	86	97,816	4,389,497	44.86
37–38	.00094	97,773	93	97,727	4,291,681	43.89
38–39	.00102	97,680	100	97,630	4,193,954	42.94
39–40	.00111	97,580	108	97,526	4,096,324	41.98
40–41	.00121	97,472	117	97,414	3,998,798	41.03
41–42	.00131	97,355	128	97,291	3,901,384	40.07
42–43	.00143	97,227	139	97,157	3,804,093	39.13
43–44	.00157	97,088	152	97,012	3,706,936	38.18
44–45	.00173	96,936	168	96,852	3,609,924	37.24
45–46	.00193	96,768	187	96,674	3,513,072	36.30
46–47	.00215	96,581	208	96,477	3,416,398	35.37
47–48	.00240	96,373	231	96,258	3,319,921	34.45
48–49	.00265	96,142	255	96,015	3,223,663	33.53
49–50	.00291	95,887	279	95,747	3,127,648	32.62
50–51	.00321	95,608	306	95,455	3,031,901	31.71
51–52	.00356	95,302	340	95,132	2,936,446	30.81
52–53	.00394	94,962	374	94,775	2,841,314	29.92

Table 6. Life table for white females: United States, 1989–91—Con.

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two ages (1)	Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)	Average number of years of life remaining at beginning of age interval (7)
x to $x + t$	${}_t q_x$	l_x	${}_t d_x$	${}_t L_x$	T_x	${}^o e_0$
Years—Continued						
53–54	.00434	94,588	410	94,383	2,746,539	29.04
54–55	.00476	94,178	448	93,954	2,652,156	28.16
55–56	.00521	93,730	488	93,485	2,558,202	27.29
56–57	.00571	93,242	532	92,976	2,464,717	26.43
57–58	.00628	92,710	583	92,419	2,371,741	25.58
58–59	.00693	92,127	638	91,808	2,279,322	24.74
59–60	.00764	91,489	700	91,139	2,187,514	23.91
60–61	.00837	90,789	760	90,409	2,096,375	23.09
61–62	.00912	90,029	821	89,618	2,005,966	22.28
62–63	.00993	89,208	886	88,766	1,916,348	21.48
63–64	.01081	88,322	954	87,845	1,827,582	20.69
64–65	.01177	87,368	1,029	86,853	1,739,737	19.91
65–66	.01278	86,339	1,103	85,787	1,652,884	19.14
66–67	.01383	85,236	1,179	84,647	1,567,097	18.39
67–68	.01500	84,057	1,261	83,426	1,482,450	17.64
68–69	.01634	82,796	1,353	82,120	1,399,024	16.90
69–70	.01791	81,443	1,459	80,714	1,316,904	16.17
70–71	.01969	79,984	1,575	79,197	1,236,190	15.46
71–72	.02168	78,409	1,700	77,559	1,156,993	14.76
72–73	.02386	76,709	1,830	75,794	1,079,434	14.07
73–74	.02618	74,879	1,960	73,899	1,003,640	13.40
74–75	.02860	72,919	2,085	71,876	929,741	12.75
75–76	.03111	70,834	2,204	69,732	857,865	12.11
76–77	.03387	68,630	2,325	67,467	788,133	11.48
77–78	.03707	66,305	2,458	65,076	720,666	10.87
78–79	.04090	63,847	2,611	62,542	655,590	10.27
79–80	.04542	61,236	2,782	59,845	593,048	9.68
80–81	.05053	58,454	2,953	56,977	533,203	9.12
81–82	.05606	55,501	3,112	53,945	476,226	8.58
82–83	.06215	52,389	3,256	50,762	422,281	8.06
83–84	.06878	49,133	3,379	47,443	371,519	7.56
84–85	.07607	45,754	3,480	44,014	324,076	7.08
85–86	.08445	42,274	3,570	40,489	280,062	6.62
86–87	.09402	38,704	3,639	36,884	239,573	6.19
87–88	.10431	35,065	3,658	33,236	202,689	5.78
88–89	.11512	31,407	3,615	29,600	169,453	5.40
89–90	.12673	27,792	3,522	26,030	139,853	5.03
90–91	.14015	24,270	3,402	22,569	113,823	4.69
91–92	.15536	20,868	3,242	19,247	91,254	4.37
92–93	.17101	17,626	3,014	16,120	72,007	4.09
93–94	.18626	14,612	2,722	13,251	55,887	3.82
94–95	.20148	11,890	2,395	10,692	42,636	3.59
95–96	.21737	9,495	2,064	8,463	31,944	3.36
96–97	.23434	7,431	1,742	6,560	23,481	3.16
97–98	.25091	5,689	1,427	4,976	16,921	2.97
98–99	.26715	4,262	1,139	3,692	11,945	2.80
99–100	.28318	3,123	884	2,682	8,253	2.64
100–101	.30017	2,239	672	1,902	5,571	2.49
101–102	.31818	1,567	499	1,318	3,669	2.34
102–103	.33727	1,068	360	888	2,351	2.20
103–104	.35750	708	253	582	1,463	2.07
104–105	.37895	455	172	368	881	1.94
105–106	.40169	283	114	226	513	1.81
106–107	.42579	169	72	133	287	1.70
107–108	.45134	97	44	75	154	1.59
108–109	.47842	53	25	41	79	1.48
109–110	.50712	28	14	20	38	1.38