

U.S. Depart. of Health & Human Services. Centers for CDC. Nat. Center for Health Statistics (2001):
United States Life Tables, 1998. National Vital Statistics Report Volume 48, Number 18. 39pp.
Downloaded from: www.cdc.gov (05.02.2024).

Table 5. Life table for white males: United States, 1998

	Proportion dying during age interval	Number living at beginning of age interval	Number dying during age interval	Stationary population in the age interval	Stationary population in this and all subsequent age intervals	Life expectancy at beginning of age interval
Age	q_x	l_x	d_x	L_x	T_x	e_x
0-1.	0.00648	100,000	648	99,435	7,452,750	74.5
1-2.	0.00049	99,352	49	99,328	7,353,314	74.0
2-3.	0.00036	99,303	35	99,286	7,253,987	73.0
3-4.	0.00025	99,268	25	99,255	7,154,701	72.1
4-5.	0.00021	99,243	21	99,233	7,055,446	71.1
5-6.	0.00020	99,222	19	99,213	6,956,213	70.1
6-7.	0.00019	99,203	19	99,193	6,857,001	69.1
7-8.	0.00018	99,184	18	99,175	6,757,807	68.1
8-9.	0.00017	99,166	17	99,157	6,658,632	67.1
9-10.	0.00015	99,149	15	99,142	6,559,475	66.2
10-11.	0.00013	99,134	13	99,128	6,460,333	65.2
11-12.	0.00013	99,122	13	99,115	6,361,205	64.2
12-13.	0.00019	99,109	19	99,099	6,262,090	63.2
13-14.	0.00031	99,090	31	99,074	6,162,991	62.2
14-15.	0.00047	99,059	47	99,036	6,063,916	61.2
15-16.	0.00065	99,012	64	98,980	5,964,881	60.2
16-17.	0.00081	98,948	80	98,908	5,865,901	59.3
17-18.	0.00094	98,868	93	98,821	5,766,993	58.3
18-19.	0.00104	98,775	102	98,724	5,668,171	57.4
19-20.	0.00111	98,673	109	98,618	5,569,448	56.4
20-21.	0.00118	98,563	116	98,505	5,470,830	55.5
21-22.	0.00126	98,447	124	98,385	5,372,325	54.6
22-23.	0.00130	98,323	128	98,259	5,273,940	53.6
23-24.	0.00130	98,195	128	98,131	5,175,681	52.7
24-25.	0.00127	98,066	125	98,004	5,077,551	51.8
25-26.	0.00123	97,942	120	97,882	4,979,547	50.8
26-27.	0.00120	97,821	117	97,763	4,881,665	49.9
27-28.	0.00119	97,704	116	97,646	4,783,902	49.0
28-29.	0.00121	97,588	118	97,530	4,686,256	48.0
29-30.	0.00125	97,471	122	97,409	4,588,726	47.1
30-31.	0.00131	97,348	128	97,285	4,491,317	46.1
31-32.	0.00137	97,221	133	97,154	4,394,032	45.2
32-33.	0.00144	97,088	140	97,018	4,296,878	44.3
33-34.	0.00152	96,948	147	96,875	4,199,860	43.3
34-35.	0.00160	96,801	155	96,724	4,102,985	42.4
35-36.	0.00169	96,646	164	96,564	4,006,261	41.5
36-37.	0.00179	96,483	173	96,396	3,909,697	40.5
37-38.	0.00190	96,310	183	96,218	3,813,301	39.6
38-39.	0.00203	96,127	195	96,029	3,717,082	38.7
39-40.	0.00219	95,931	210	95,827	3,621,053	37.7
40-41.	0.00236	95,722	226	95,609	3,525,227	36.8
41-42.	0.00254	95,496	242	95,375	3,429,618	35.9
42-43.	0.00273	95,254	260	95,124	3,334,243	35.0
43-44.	0.00294	94,993	279	94,854	3,239,119	34.1
44-45.	0.00317	94,714	300	94,564	3,144,266	33.2
45-46.	0.00342	94,414	323	94,253	3,049,701	32.3
46-47.	0.00371	94,091	349	93,917	2,955,448	31.4
47-48.	0.00401	93,743	376	93,554	2,861,531	30.5
48-49.	0.00433	93,366	404	93,164	2,767,977	29.6
49-50.	0.00466	92,962	434	92,745	2,674,813	28.8
50-51.	0.00503	92,528	465	92,296	2,582,068	27.9
51-52.	0.00544	92,063	501	91,813	2,489,772	27.0
52-53.	0.00590	91,562	540	91,292	2,397,960	26.2
53-54.	0.00643	91,022	585	90,729	2,306,668	25.3
54-55.	0.00704	90,437	637	90,118	2,215,938	24.5
55-56.	0.00776	89,800	697	89,451	2,125,820	23.7
56-57.	0.00858	89,103	764	88,721	2,036,369	22.9
57-58.	0.00947	88,339	837	87,920	1,947,648	22.0
58-59.	0.01042	87,502	912	87,046	1,859,728	21.3
59-60.	0.01144	86,590	990	86,095	1,772,682	20.5
60-61.	0.01256	85,600	1,075	85,063	1,686,586	19.7
61-62.	0.01384	84,525	1,170	83,940	1,601,524	18.9
62-63.	0.01526	83,356	1,272	82,719	1,517,583	18.2
63-64.	0.01682	82,083	1,381	81,393	1,434,864	17.5
64-65.	0.01848	80,703	1,492	79,957	1,353,471	16.8
65-66.	0.02016	79,211	1,597	78,412	1,273,514	16.1
66-67.	0.02193	77,614	1,702	76,763	1,195,101	15.4

Table 5. Life table for white males: United States, 1998—Con.

	Proportion dying during age interval	Number living at beginning of age interval	Number dying during age interval	Stationary population in the age interval	Stationary population in this and all subsequent age intervals	Life expectancy at beginning of age interval
Age	q_x	l_x	d_x	L_x	T_x	e_x
67-68	0.02394	75,912	1,817	75,003	1,118,339	14.7
68-69	0.02627	74,095	1,946	73,121	1,043,336	14.1
69-70	0.02887	72,148	2,083	71,107	970,214	13.4
70-71	0.03160	70,065	2,214	68,958	899,107	12.8
71-72	0.03435	67,851	2,331	66,686	830,149	12.2
72-73	0.03724	65,521	2,440	64,301	763,463	11.7
73-74	0.04031	63,081	2,543	61,810	699,162	11.1
74-75	0.04360	60,538	2,640	59,218	637,352	10.5
75-76	0.04705	57,899	2,724	56,537	578,134	10.0
76-77	0.05072	55,175	2,799	53,775	521,597	9.5
77-78	0.05493	52,376	2,877	50,938	467,822	8.9
78-79	0.05996	49,499	2,968	48,015	416,884	8.4
79-80	0.06597	46,531	3,070	44,996	368,869	7.9
80-81	0.07321	43,462	3,182	41,871	323,873	7.5
81-82	0.08147	40,280	3,282	38,639	282,002	7.0
82-83	0.09031	36,998	3,341	35,328	243,363	6.6
83-84	0.09905	33,657	3,334	31,990	208,036	6.2
84-85	0.10768	30,323	3,265	28,691	176,045	5.8
85-86	0.11798	27,058	3,192	25,462	147,355	5.4
86-87	0.12896	23,866	3,078	22,327	121,892	5.1
87-88	0.14062	20,788	2,923	19,327	99,565	4.8
88-89	0.15297	17,865	2,733	16,499	80,239	4.5
89-90	0.16601	15,132	2,512	13,876	63,740	4.2
90-91	0.17973	12,620	2,268	11,486	49,864	4.0
91-92	0.19412	10,352	2,010	9,347	38,377	3.7
92-93	0.20916	8,343	1,745	7,470	29,030	3.5
93-94	0.22483	6,598	1,483	5,856	21,560	3.3
94-95	0.24109	5,114	1,233	4,498	15,704	3.1
95-96	0.25792	3,881	1,001	3,381	11,206	2.9
96-97	0.27526	2,880	793	2,484	7,826	2.7
97-98	0.29307	2,087	612	1,782	5,342	2.6
98-99	0.31128	1,476	459	1,246	3,560	2.4
99-100	0.32983	1,016	335	849	2,314	2.3
100+	1.00000	681	681	1,466	1,466	2.2

Table 6. Life table for white females: United States, 1998

	Proportion dying during age interval	Number living at beginning of age interval	Number dying during age interval	Stationary population in the age interval	Stationary population in this and all subsequent age intervals	Life expectancy at beginning of age interval
Age	q_x	l_x	d_x	L_x	T_x	e_x
0-1.	0.00542	100,000	542	99,524	7,999,603	80.0
1-2.	0.00044	99,458	44	99,436	7,900,079	79.4
2-3.	0.00028	99,414	28	99,400	7,800,643	78.5
3-4.	0.00021	99,386	21	99,376	7,701,243	77.5
4-5.	0.00017	99,365	17	99,357	7,601,867	76.5
5-6.	0.00015	99,348	15	99,341	7,502,511	75.5
6-7.	0.00014	99,333	14	99,326	7,403,170	74.5
7-8.	0.00013	99,319	13	99,312	7,303,844	73.5
8-9.	0.00013	99,306	13	99,299	7,204,532	72.5
9-10.	0.00012	99,293	12	99,287	7,105,232	71.6
10-11.	0.00011	99,281	11	99,276	7,005,945	70.6
11-12.	0.00012	99,270	12	99,264	6,906,669	69.6
12-13.	0.00014	99,258	14	99,251	6,807,405	68.6
13-14.	0.00019	99,244	19	99,234	6,708,154	67.6
14-15.	0.00026	99,225	26	99,212	6,608,920	66.6
15-16.	0.00033	99,199	33	99,183	6,509,708	65.6
16-17.	0.00040	99,166	39	99,147	6,410,525	64.6
17-18.	0.00044	99,127	43	99,105	6,311,379	63.7
18-19.	0.00045	99,083	45	99,061	6,212,274	62.7
19-20.	0.00044	99,039	43	99,017	6,113,212	61.7
20-21.	0.00042	98,995	42	98,975	6,014,195	60.8
21-22.	0.00041	98,954	41	98,934	5,915,221	59.8
22-23.	0.00040	98,913	40	98,893	5,816,287	58.8
23-24.	0.00041	98,873	40	98,853	5,717,394	57.8
24-25.	0.00042	98,833	42	98,812	5,618,540	56.8
25-26.	0.00044	98,791	43	98,770	5,519,728	55.9
26-27.	0.00046	98,748	45	98,725	5,420,959	54.9
27-28.	0.00048	98,703	47	98,679	5,322,233	53.9
28-29.	0.00051	98,656	50	98,631	5,223,554	52.9
29-30.	0.00054	98,606	53	98,579	5,124,924	52.0
30-31.	0.00057	98,553	57	98,524	5,026,344	51.0
31-32.	0.00061	98,496	61	98,466	4,927,820	50.0
32-33.	0.00066	98,436	65	98,403	4,829,354	49.1
33-34.	0.00072	98,370	71	98,335	4,730,951	48.1
34-35.	0.00079	98,299	78	98,260	4,632,616	47.1
35-36.	0.00086	98,221	84	98,179	4,534,356	46.2
36-37.	0.00093	98,137	91	98,092	4,436,177	45.2
37-38.	0.00100	98,046	98	97,997	4,338,085	44.2
38-39.	0.00107	97,949	105	97,896	4,240,088	43.3
39-40.	0.00115	97,844	113	97,788	4,142,192	42.3
40-41.	0.00124	97,731	121	97,671	4,044,404	41.4
41-42.	0.00134	97,610	130	97,545	3,946,734	40.4
42-43.	0.00144	97,480	140	97,410	3,849,189	39.5
43-44.	0.00155	97,339	151	97,264	3,751,779	38.5
44-45.	0.00167	97,189	162	97,108	3,654,515	37.6
45-46.	0.00180	97,027	174	96,940	3,557,407	36.7
46-47.	0.00195	96,853	189	96,758	3,460,467	35.7
47-48.	0.00213	96,664	206	96,561	3,363,709	34.8
48-49.	0.00235	96,458	227	96,345	3,267,148	33.9
49-50.	0.00260	96,231	250	96,106	3,170,803	32.9
50-51.	0.00288	95,981	277	95,843	3,074,697	32.0
51-52.	0.00319	95,705	305	95,552	2,978,854	31.1
52-53.	0.00351	95,400	335	95,232	2,883,302	30.2
53-54.	0.00385	95,065	366	94,882	2,788,070	29.3
54-55.	0.00423	94,698	400	94,498	2,693,188	28.4
55-56.	0.00466	94,298	440	94,078	2,598,690	27.6
56-57.	0.00516	93,858	485	93,616	2,504,612	26.7
57-58.	0.00571	93,374	533	93,107	2,410,995	25.8
58-59.	0.00630	92,841	585	92,548	2,317,888	25.0
59-60.	0.00693	92,256	640	91,936	2,225,340	24.1
60-61.	0.00765	91,616	701	91,266	2,133,404	23.3
61-62.	0.00848	90,915	771	90,530	2,042,138	22.5
62-63.	0.00936	90,144	844	89,722	1,951,608	21.6
63-64.	0.01028	89,300	918	88,841	1,861,886	20.8
64-65.	0.01123	88,382	993	87,886	1,773,044	20.1
65-66.	0.01219	87,390	1,066	86,857	1,685,158	19.3
66-67.	0.01324	86,324	1,143	85,753	1,598,301	18.5

Table 6. Life table for white females: United States, 1998—Con.

	Proportion dying during age interval	Number living at beginning of age interval	Number dying during age interval	Stationary population in the age interval	Stationary population in this and all subsequent age intervals	Life expectancy at beginning of age interval
Age	q_x	l_x	d_x	L_x	T_x	e_x
67-68	0.01448	85,181	1,233	84,564	1,512,549	17.8
68-69	0.01596	83,948	1,340	83,278	1,427,984	17.0
69-70	0.01764	82,608	1,457	81,879	1,344,706	16.3
70-71	0.01941	81,151	1,575	80,363	1,262,827	15.6
71-72	0.02123	79,575	1,689	78,731	1,182,464	14.9
72-73	0.02317	77,886	1,805	76,984	1,103,733	14.2
73-74	0.02528	76,082	1,924	75,120	1,026,749	13.5
74-75	0.02761	74,158	2,047	73,134	951,630	12.8
75-76	0.03007	72,110	2,169	71,026	878,495	12.2
76-77	0.03275	69,942	2,291	68,796	807,469	11.5
77-78	0.03591	67,651	2,430	66,436	738,673	10.9
78-79	0.03976	65,221	2,593	63,925	672,237	10.3
79-80	0.04433	62,628	2,776	61,240	608,312	9.7
80-81	0.04950	59,852	2,963	58,371	547,071	9.1
81-82	0.05523	56,889	3,142	55,318	488,701	8.6
82-83	0.06174	53,747	3,318	52,088	433,382	8.1
83-84	0.06908	50,429	3,484	48,687	381,294	7.6
84-85	0.07731	46,945	3,630	45,131	332,607	7.1
85-86	0.08581	43,316	3,717	41,457	287,476	6.6
86-87	0.09501	39,599	3,762	37,718	246,019	6.2
87-88	0.10494	35,836	3,761	33,956	208,301	5.8
88-89	0.11563	32,076	3,709	30,221	174,345	5.4
89-90	0.12710	28,367	3,605	26,564	144,124	5.1
90-91	0.13937	24,761	3,451	23,036	117,560	4.7
91-92	0.15245	21,310	3,249	19,686	94,524	4.4
92-93	0.16635	18,062	3,005	16,559	74,838	4.1
93-94	0.18108	15,057	2,726	13,694	58,279	3.9
94-95	0.19663	12,331	2,425	11,118	44,585	3.6
95-96	0.21300	9,906	2,110	8,851	33,467	3.4
96-97	0.23018	7,796	1,794	6,899	24,616	3.2
97-98	0.24814	6,002	1,489	5,257	17,717	3.0
98-99	0.26685	4,512	1,204	3,910	12,460	2.8
99-100	0.28627	3,308	947	2,835	8,550	2.6
100+	1.00000	2,361	2,361	5,715	5,715	2.4